

Breast milk for your baby on the Special Care Baby Unit



Obstetrics & Gynaecology



The Rotherham
NHS Foundation Trust

Bring your medicines when you come into hospital

Prescription medicines

Medicines you have bought

Alternative & herbal medicines

Inhalers



Hearing about your experience of our services is very important as it means we can pass compliments on to our staff and make improvements where necessary. Tell us what you think by emailing us at: your.experience@nhs.net

Slovak

Slovensky

Ak vy alebo niekto koho poznáte potrebujete pomoc pri pochopení alebo čítaní tohto dokumentu, prosím kontaktujte nás na vyššie uvedenom čísle alebo nám pošlite e-mail.

Kurdish Sorani

کوردی سۆرانی

نەگەر تۆ یان کەسێک کە تۆ دەناسی پێویستی بەیارمەتی هەبێت بۆ ئەوەی لەم بەلگەنامە بە تێبگات یان بێخۆی نینتەوه، تکایە پەیوەندیمان پێوه بکە لەسەر ناو ژمارەیهی سەروددا یان بەو نێمەیلە.

Arabic

عربی

إذا كنت انت أو أي شخص تعرفه بحاجة إلى مساعدة لفهم أو قراءة هذه الوثيقة، الرجاء الاتصال على الرقم اعلاه، أو مراسلتنا عبر البريد الإلكتروني

Urdu

اردو

اگر آپ یا آپ کے جاننے والے کسی شخص کو اس دستاویز کو سمجھنے یا پڑھنے کیلئے مدد کی ضرورت ہے تو برائے مہربانی مندرجہ بالا نمبر پر ہم سے رابطہ کریں یا ہمیں ای میل کریں۔

Farsi

فارسی

اگر جناب عالی یا شخص دیگری که شما اورا می شناسید برای خواندن یا فهمیدن این مدارک نیاز به کمک دارد لطفاً با ما بوسیله شماره بالا یا ایمیل تماس حاصل فرمایید.

If you require this document in another language, large print, braille, audio or easyread format, please ask our healthcare providers*

*Note to healthcare providers:

Translated / easyread healthcare information can be sourced via the **Easyread websites** listed at the back of this leaflet or via contacting our translation service which can be accessed through the Hub.

After the birth of your baby

Congratulations, your baby has been born. It is a worrying time when your baby needs to go to the Special Care Baby Unit.

It is natural as parents to want to help your baby and you may feel quite helpless at this time. One of the best ways to help your baby is to give your baby breast milk.

Even if you have chosen to formula feed your baby, we would encourage you to express your milk.

Your milk helps your baby grow and develop and protects them against infections.

Colostrum is the first milk that all mothers produce after birth

The value of breast milk

Breast milk has been shown to:

- Greatly reduces the risk of serious, life threatening gut infections in pre-term babies
- Be tolerated by a pre term baby's gut, and early breast milk feeds can be introduced to help protect the gut
- Protect your baby against chest infections
- Protect your baby against ear infections
- Premature babies have not been able to complete their development and breast milk helps your baby's:
 - Brain development
 - Eye development
 - Gut to mature
- In the long term breast milk also helps lower your baby's risk of:
 - Obesity
 - Insulin dependent diabetes
 - Eczema and allergies

Use the expressing diary at the back of this booklet to keep a note of your expressing whilst your baby is in SCBU.

Breastfeeding your baby in SCBU

In the early days and weeks your baby may not be able to feed directly from your breast. Until this time you can express your milk to give to your baby to help them grow and develop.

Premature babies slowly develop their sucking skills from about 32 weeks or sometimes even later.

Until your baby is able to breastfeed well your baby will be given milk feeds through a gastric tube (a tube that is passed through baby's nose or mouth going into their stomach).

When can I start expressing?

You can start expressing as soon as possible after birth, ideally within a few hours. The sooner you get started the better it is for you to carry on making milk for your baby in the long term.

Your midwife will give you your 'Liquid Gold' pack if your baby is likely to go to SCBU. This is so you can start hand expressing your milk straight away.

Collect your expressed breastmilk in the feeding syringe provided and then it can be taken to SCBU for your baby.

Expressing your milk before the birth of your baby

Why hand express?

- Colostrum is quite sticky, and appears only as drops; it is difficult to suck out with a pump so needs to be 'milked out' by hand.
- If you become engorged you can relieve pressure in your breasts.
- Increases milk production when used before and after expressing by pump.

How to hand express breastmilk

1. Have a sterile container/oral syringe to collect the milk.
2. Have baby near or something that reminds you of baby.
3. Gently but firmly massage your breasts. Then roll nipple between finger and thumb.
4. Cup your breast and place your thumb and finger about 2-3 cm from the base of the nipple.
5. Using your thumb and the rest of your fingers in a C shape, gently compress this area – this shouldn't hurt.
6. Release the pressure and then repeat again and again, building up a rhythm. Drops of colostrum will appear or milk will begin to flow. It may take a few minutes.
7. When the flow slows, rotate your fingers and thumb around the breast and repeat compress-release rhythm.
8. When the flow slows on one breast change to the other breast. Express each breast 2-3 times.



Try to AVOID sliding your fingers over your skin and friction like this can make you sore.

Expressing your milk before the birth of your baby

When to start using a breast pump

Once you are expressing around 10ml you may want to start using a pump. A member of staff will show you how to set up and use the breast pump. Remember to always hand express before using a pump; this helps with hormones for milk production and getting your milk flowing.

Using the electric pump

Wash your hands before expressing

1. Push the white valve membrane onto the yellow valve head; push the valve head onto the connector; screw the bottle onto the connector; insert the tubing into the connector.
2. Place breast shield(s) over the breast(s) making sure nipple(s) central in the funnel.
3. Set the suction to minimum.
4. Turn on the pump and the stimulation phase begins, lasts for 2 minutes then switches to expressing phase (if milk starts to flow earlier press the right hand override button to change to expressing phase sooner).
5. Increase the suction control until it feels slightly uncomfortable then turn it down to comfort level. This is the right suction strength for you. Expressing should not be painful.
6. Turn off pump before removing breast shield.
7. If single pumping express each breast changing to the other breast when the flow slows down. Express each breast 2-3 times (20-30 mins).
8. If double pumping it may help to take a short pause form time to time, massage breasts then restart. Double pumping is best and also saves time.
9. Take kit apart, wash in hot soapy water, rinse and place in sterilising solution.

When is the best time to express?

The very best time is when you see your baby or just after cuddling your baby. Skin to skin contact with your baby helps you to keep making milk for your baby.

At other times have something to remind you of baby; a photo to look at or an item of clothing to smell (smell is a powerful sense that can boost your hormones).

There are no set times. Aim to express at least 8 times a day with at least one time being during the night. This helps with your milk production for the next day). Some mothers space pumping times out throughout the day, others do 2-3 expressions within a short space of time as little as an hour apart. It is best not to leave gaps of more than 6 hours.

Making a good milk supply

After birth you tend to produce very small amounts (a few ml) of very high quality breast milk. This is really valuable for your baby. For babies not ready for milk feeds small amounts of breast milk can be used in caring for your baby's mouth.

With practice and regular expressing your milk supply will increase over the next few days. By day 14 you are likely to have built up a full milk supply expressing 750-900ml in 24 hours. This is really good as usually it means that you will be able to keep up your milk supply in the long term.

Expressing your milk before the birth of your baby

Expressing when at home

You are welcome to use the pumps on SCBU at any time. Whilst your baby remains in hospital you may be able to loan an electric pump from SCBU **free of charge.**

The midwifery teams also loan out pumps for up to two weeks (you must also be receiving midwifery care and these are also free).

The Children's Centres have a pump loan scheme too. **For further information or to find your nearest childrens centre contact Family Information Service on 0800 0730230.**

Storing milk

In the first day or two after birth oral syringes can be used to store small amounts of breast milk. As your milk volumes increase use the sterile storage bottles provided by the postnatal ward and SCBU.

Unless milk is to be used straight away freeze it immediately. There is a refrigerator on the postnatal ward and both a refrigerator and freezer on SCBU.

When bringing frozen milk in from home bring it in a cool bag and place it in the freezer on SCBU without letting it defrost.

Remember to label your milk with your baby's name, and the time and date of expression.

My Expressing Diary

Date	Time	Amount Expressed	Pump No.	Comments e.g. Kangaroo Care
1				
2				
3				
4				
5				
6				
7				
8				
1				
2				
3				
4				
5				
6				
7				
8				
1				
2				
3				
4				
5				
6				
7				
8				

My Expressing Diary

Date	Time	Amount Expressed	Pump No.	Comments e.g. Kangaroo Care
1				
2				
3				
4				
5				
6				
7				
8				
1				
2				
3				
4				
5				
6				
7				
8				
1				
2				
3				
4				
5				
6				
7				
8				

Where to find further help

Special Care Baby Unit

Telephone 01709 424488 / 424629

Bliss

Telephone 0500 618140

Local Breastfeeding Support

Breastfeeding Drop-in Clinic

Every Thursday from 1.30pm until 3.00pm

Meg's Room, B Floor, Rotherham Hospital

No appointment needed

National Breastfeeding Support

National Breastfeeding helpline

Telephone 0300 100 0212

National Childbirth Trust

Telephone 0300 330 0771

Breastfeeding Network

Telephone 0300 100 0210

Association of Breastfeeding Mothers

Telephone 0300 330 5453

Useful Websites

www.therotherhamft.nhs.uk

www.bliss.org.uk

www.nhs.uk/start4life

www.breastfeeding.nhs.co.uk

www.abm.me.uk

Useful contact numbers

Rotherham Hospital Switchboard

Telephone 01709 820000

NHS 111 Service

Telephone 111

Health Info

Telephone 01709 427190

Stop Smoking Service

Telephone 01709 422444

UECC (A&E)

Telephone 01709 424455

**If it's not an emergency,
please consider using a
Pharmacy or call NHS 111
before going to A&E.**

**For GP out of hours,
contact your surgery**

Easyread websites

www.easyhealth.org.uk

www.friendlyresources.org.uk

www.easy-read-online.co.uk

We value your comments

If you have any comments or concerns about the services we have provided please let us know, or alternatively you can contact the Patient Experience Team.

Patient Experience Team

The Oldfield Centre
The Rotherham NHS
Foundation Trust
Rotherham Hospital
Moorgate Road
Rotherham
S60 2UD

Telephone: 01709 424461

Monday to Friday

9.00am until 5.00pm

Email: your.experience@nhs.net



LS 830 11/2020 V2 Jones & Brooks



The Rotherham
NHS Foundation Trust

Rotherham Hospital
Moorgate Road
Oakwood
Rotherham
S60 2UD

Telephone 01709 820000
www.therotherhamft.nhs.uk

